

# Review of Possible Applications of Nanofibrous Mats for Wound Dressings

## *Pregled načinov uporabe nanovlaknastih kopren pri oblogah za rane*

Scientific Review/Pregledni znanstveni članek

Received/Prispelo 01-2019 • Accepted/Sprejeto 04-2019

### Abstract

Skin is an important part of the human body. Its function is to control the body's homeostasis mechanism. If a skin injury occurs, it is of utmost importance to heal the skin as soon as possible. The currently available medical treatment system, however, has limited effectiveness on the regeneration of the structure and function of the injured skin, potentially causing wound infections and dehydration. The corresponding impact on the healing process may in the worst case also be fatal. To overcome these problems in wound dressing materials, nanofibrous mats are excellent candidates for wound treatment and management. Such wound dressings can be found in biomedical applications not only in drug delivery, but also as antibacterial and antimicrobial materials, and as materials for the regeneration and repair of tissue or organs. The large surface-area-to-volume ratio is one of the unique properties of nanofibrous mats. This paper gives a brief overview of possible materials and applications of nanofibrous mats for wound dressing.

Keywords: wound dressing, electrospinning, drug delivery, nanofibrous mats

### Izvleček

*Koža je pomemben del človeškega telesa. Njena naloga je nadziranje mehanizma homeostaze človeškega organizma. Če se koža poškoduje, je zelo pomembno, da jo čim prej zdravimo. Obstoječi sistem zdravljenja ne zagotavlja učinkovite obnove strukture in funkcije poškodovane kože, kar lahko vodi v okužbe ran in dehidracije, ki je lahko v najslabšem primeru tudi usodna. Za odpravo omenjenih težav pri sodobnih oblogah za rane so nanovlaknaste koprene odlična možnost za zdravljenje in oskrbo ran. Takšne nanovlaknaste koprene se lahko uporabljajo tudi v biomedicinski namene, ne le kot transdermalni obliži, temveč tudi kot protibakterijska in protimikrobna sredstva ter kot materiali za regeneracijo in obnovo tkiv ali organov. Ena od edinstvenih lastnosti nanovlaknastih kopren je njihovo veliko razmerje med površino in prostornino. V članku je podan kratek pregled materialov in možnosti uporabe nanovlaknastih kopren pri oblogah za rane.*

*Ključne besede: gaza, elektropredenje, doziranje zdravil, nanovlaknaste koprene*

## 1 Introduction

The normal time for the wound healing process is about 2–3 days to some months, depending on the depth of the wound and the chronic condition. The healing of chronic wounds can take from a few months to several years. The classic wound dressing often has a poor fit; it is stiff and relatively hard,

whereas wound dressings from nanofibrous mats are extremely thin and flexible. This type of nanofibrous mats has a breathable and water-absorbing effect, and can perfectly adapt to the wound geometry due to its high flexibility and soft surface wound dressing.

The process of modern drug delivery faces challenges, e.g. low solubility, bioavailability or targeted delivery of drugs with limited duration. Electrospun

nanofibrous mats can overcome these problems [1, 2]. Their high surface-to-volume ratio enables improved interactions with the environment, making them promising for wound care, drug delivery and biotechnology applications. Nanofibres can thus be used for biomedical applications such as tissue engineering, wound healing processes and targeted drug delivery systems [3–9].

According to the results of several research groups, nanofibrous mats have the ability to absorb large concentrations of wound exudates without causing infections, and release anti-microbial and anti-inflammatory agents. Nanofibrous mats have been shown to be ideal candidates for modern and efficient wound treatment, and wound care. Being produced effectively and inexpensively in an electrospinning process, they offer a multi-promising strategy for modern wound treatment [10–13].

Nanofibres can be electrospun from natural or synthetic polymers such as polysaccharides, collagen, keratin, silk, tubulin, actin, cellulose, polyacrylonitrile (PAN), poly(lactic acid) (PLA), poly(L-lactic acid) (PLLA), acrylonitrile butadiene styrene (ABS), poly(lactic-co-glycolic acid) (PLGA), polyurethane (PU), polyvinyl alcohol (PVA), polycaprolactone (PCL), polymethyl methacrylate (PMMA), chitosan, fibrin, poly(ethylene glycol) (PEG), gelatine, casein and alginate. These and many other polymers are known in tissue engineering and are applicable in wound dressing [14–25].

## 2 Electrospinning techniques

Electrospinning is a technology which can be used to produce continuous ultrathin nanoscale fibres or fibre mats composed of fibres with the diameters in nanometre range [26–31]. Ultrathin fibres can be produced easily using this technology from multitude of materials, e.g. polymers, polymer composites, inorganic [32] or inorganic/organic [33] materials, or even ceramics [34]. These types of nanofibres are especially useful in the applications which necessitate large surface areas, such as promotion of cell growth in biomedical applications, catalysers, novel filter materials, medical wound dressings etc. [35–37].

Electrospinning processes can be performed in two slightly different ways, i.e. using needle-based or needleless electrospinning techniques (Figure 1). Electrospinning with a needle is a simple process which depends on a high voltage power supply with adjustable control, a polymer solution reservoir (e.g. a syringe with a small diameter needle) with or without a control pump and a metal collecting screen. The spinnable polymeric solution is put into a reservoir with a metal needle or tip and connected to a power supply, enabling the formation of a charged polymer jet. The conductive collecting screen the nanofibres are deposited on can either be a stationary plate or a rotating platform or substrate. The plate can be used to manufacture non-woven nanofibrous mats, while the rotating platform can be used to prepare both randomly oriented and aligned fibres. With a vertical and a horizontal orientation, two standard electrospinning setups are available. Three essential operating parameters play a decisive




Figure 1: Basic set-up for (a) needle based and (b) needleless (Nanospider) electrospinning

role: namely the solution parameters, process parameters and environmental parameters [38, 39].

Needleless electrospinning is a technical process that allows electrospinning of nanofibres directly from an open liquid surface in a self-organized way. The fibre quality and productivity of spinnerets play the most important roles in needleless electrospinning. These spinnerets are connected with a high voltage power supply and a dosing unit for the spinning solution. Spinnerets for needleless electrospinning can be divided into two types, i.e. rotating or stationary spinnerets according to the working states. The rotating spinnerets can transfer mechanical vibration to the polymer solution, which results in establishing jets, mostly working continuously. An auxiliary force (e.g. a magnetic field, gravity or gas bubbles) is mostly used to establish a stationary spinneret in the electrospinning process.

Separated solution containers are used for the spinning solutions for roller and cone electrospinning. The whole process can be described by the following four steps: first, a thin layer of a polymer solution is set up on the spinneret surface which is immersed in the solution and rotated, and then, the rotation helps to create conical spikes on the solution surface. After that, by applying high voltage, the spikes concentrate the electric forces to create Taylor cones. Finally, jets spread out of the Taylor cones and produce fibres [40–42].

Especially “green” electrospinning, which avoids dangerous solvents, is of high interest in research nowadays. To prepare such nanofibrous mats, different (bio-)polymers can be electrospun from aqueous or other non-toxic solutions.

### 3 Electrospinnable polymer materials for wound dressing applications

Frequently used polymers which are spinnable from non-toxic or low-toxic solvents are, for example, polyacrylonitrile (PAN, spinnable from dimethyl sulfoxide, DMSO) and poly(ethylene glycol) (PEG, spinnable from water) [43–45]. PEO and PVA are often used as the spinning agent for materials which cannot form fibres solely [46].

There are some other water-soluble polymers which have additionally interesting specific properties. Poloxamers (poly(oxyethylene-b-oxypropylene-b-oxyethylene)) can be used in blends with other polymers for drug delivery, skin tissue engineering or wound healing [47].

Dextran (carbohydrate gum formed by the fermentation of sugars and consisting of polymers of glucose) can be used for drug delivery in wound dressings or electrochemical applications in different types of blends [48]. PAN, on the other hand, is often applied for electrospinning as a precursor to produce carbon nanofibrous mats [49, 50].

Blends of different polymers are often used to produce multi-material nanofibrous mats [51] with new properties. Blending PAN with cellulose acetate can be used to increase the absorption properties of activated carbon nanofibres [52]. PAN/gelatin blends can be used for the promotion of cell growth (Figure 2) [53–55].

In bio-medicine and bio-technology, chitosan and sodium alginate have good biocompatible and




Figure 2: Confocal laser scanning microscope (CLSM) images of (a) PAN/gelatin nanofibrous mat and (b) CHO-DP12 (Chinese hamster ovary) cells on PAN/gelatin nanofibrous mat, coloured with methylene blue on scale bar indicates 20  $\mu\text{m}$

non-toxic features, and are both widely applicable in the medical sector [56–59]. Moreover, chitosan/polyaniline composite nanofibrous mats have shown anti-bacterial properties and were found to be capable of accelerating wound healing processes [60].

PEO blended with alginate was used to prepare scaffolds by electrospinning to support human dermal fibroblast cell attachment. Nanofibre scaffolds were found to promote tissue cell adhesion and enable encapsulation of drugs [61, 62].

Chronic wound care products were improved using chitosan (PEO)/silica [73] and polyvinyl alcohol (PVA) blended with chitosan. Similarly, PVA/chitosan nanofibres, as well as collagen/PEO wound dressings were shown to have high moisture vapour transmission characteristics, good antimicrobial function and no cytotoxic effects [64–66].

Generally, nanofibrous mats can serve as a base for therapeutic agents or can accelerate chronic wound healing processes [67, 68]. A new generation of wound dressing can also be produced by electrospinning materials with high moisture absorption and anti-bacterial effects, including elements like zinc or copper alginate. These types of wound dressings contain bioactive elements, such as antimicrobial, anti-bacterial and anti-inflammatory agents, which can be released to wounds to improve their healing process [69]. Alternatively, it is even possible to electrospin fibres including commensal bacteria for medical purposes [70].

PVA/BS nanofibres have shown large potential for drug delivery, tissue engineering and tissue repair substitute properties in wound dressing [71]. PU/chitosan has been examined as well, showing promising features for wound dressing applications similar to many other biopolymer blends, e.g. blends with starch or silk [72–75].

One of the most sufficient biodegradable substances in nature is cellulose, which is widely applicable in the electrospun nanofibrous mats production [76–78]. It can be produced from certain bacterial species by fermentation. However, it is traditionally extracted from plants. Bacterial cellulose (BC) is extracted mainly from microorganisms belonging to the genera *Gluconacetobacter*. BC is widely used in biomedical applications, e.g. in drug delivery and tissue engineering [79]. It can be used to decrease pain and accelerate granulation, supporting a perfect wound healing process. It is also useful in the creation of a moist environment at the wound area

and absorption of exudates. Furthermore, it can prevent microbial infections [80].

Bacterial cellulose-alginate nanocomposites were successfully produced by nanotechnology and they showed excellent antibacterial activity [81, 82]. The synthesis of BC/chitosan or chitosan/gelatine composites with high mechanical reliability and antibacterial activity was investigated by different research groups [83–87]. Similarly, chitosan blended with metallic nanoparticles has an effect on the microbial activity and wound healing [98].

The reductions of inflammatory cells and mostly closed capillary lumens have been investigated by diverse research groups, using silver nanoparticles in diverse polymer matrices [89–97].

Another investigation showed strong antibacterial and anti-inflammatory characteristics of silver nanoparticles [98]. Co-electrospinning of polyurethane and keratin which can be extracted, e.g. from human hair and fixed with silver nanoparticles, results in PU/keratin/Ag composite mats of nanofibres. These nanofibrous mats showed very good cell viability and antibacterial properties, and were thus able to promote wound healing [99]. Similarly, PU or nylon nanofibres with silver nanoparticles showed excellent antimicrobial properties [100].

Polyurethane-cellulose acetate-zein composite nanofibrous mats were found suitable for drug delivery and to have good antibacterial bio-active wound recovery characteristics [101].

Poly(lactic acid) (PLA) nanofibres with  $\text{Fe}_3\text{O}_4\text{-COOH}$  have strong antibacterial and drug delivery activities for wound dressings and other biomedical applications [102]. PLA/CNC/PEG composite nanofibres showed therapeutic drug release properties and allowed for controlling long-time drug delivery in wound dressings [103]. Spirulina extract-alginate PCL and PCL-gelatine nanofibres were also found to show excellent wound care properties, especially for tissue regeneration [104–106].

Collagen is a widely used natural polymer substance for biomedical applications [107, 108]. It has gained broad clinical and consumer adoption as a secure material. To architecturally imitate the skin structure, nonwoven nanofibrous mats from collagen can be applied in wound healing processes which are typically produced by electrospinning. As a major fibrous protein in the extracellular matrix (ECM), collagen plays an important role in maintaining the biological and structural integrity of ECM [109, 110].

For the cell attachment, proliferation and differentiation, nonwoven collagen nanofibrous mats are of utmost importance. Moreover, these collagen nanofibrous mats are designed to induce platelet adhesion and aggregation to increase the coagulating, which is favourable in wound dressing applications for the improvement of cell adhesion and proliferation [111]. Carboxymethylcellulose (CMC)/dextran hydrogels were activated with a gallium bio-glass and can be applied to reduce cancer cell viability particularly for high Ga contents in the bio-glass. CMC hydrogels cross-linked with oxidized dextran or alginate/CMC were found to significantly support the wound healing and skin regeneration [112].

## 4 Conclusion

A remarkable improvement has been gained in the development of therapeutic approaches to be used in the treatment of chronic wounds. Among the developed types of wound dressings, electrospun nanofibres are taken into consideration as one of the most effective wound dressing materials for the near future. They show a high surface area to volume ratio as well as a porous structure that improves homeostasis, prevents infections, absorbs exudates, enables gas permeability and cell adhesion, migration, proliferation and properly targeted drug delivery. Several functionalization methods can be used to improve the surface properties of nanofibres or to produce nanofibres for carrier-based drug delivery, e.g. with blending electrospinnable polymers with diverse nanoparticles. Combining the intrinsic properties of diverse (bio)polymers with additional functions added in this way, electrospun nanofibrous mats belong to the most promising candidates for improved wound management.

## References

1. PAL, Dan B, SRIVASTAVA, Pratap, MISHRA, A., GIRI, Deen D., SRIVASTAVA, Kumer R., SINGH, Prabht K., AWASHTHI, S., KUMER, Lata, MISHRA, Pradeep K. Synthesis and characterization of bio-composite nanofiber for controlled drug release. *Journal of Environmental Chemical Engineering*, 2017, 5(6), 5843–5849, doi: 10.1016/j.jece.2017.11.020.

2. PAPA, Antonio, GUARINO, Vincenzo, CIRILLO, Valentina, OLIVIERO, Olimpia, AMBROSIO, Luigi. Optimization of bicomponent electrospun fibers for therapeutic use: Post-treatments to improve chemical and biological stability. *Journal of Functional Biomaterials*, 2017, 8(4), 47, doi: 10.3390/jfb8040047.
3. PORNPITCHANARONG, Chayakarn, ROJANARATA, Theerasak, OPANASOPIT, Praneet, PATROJANASOPHON, Prasopchai, NGAWHIRUNPAT, Tanasait. Synthesis of *N*-vinylpyrrolidone/acrylic acid nanoparticles for drug delivery: Method optimization. *MATEC Web of Conferences*, 2018, 192, 01020, doi: 10.1051/mateconf/201819201020.
4. GUMRAH DUMANLI, Ahu. Nanocellulose and its composites for biomedical applications. *Current Medicinal Chemistry*, 2014, 24(5), 512–528, doi: 10.2174/0929867323666161014124008.
5. MCNAMARA, Karrina, TOFAI, Syed A. M. Nanoparticles in biomedical applications. *Advances in Physics: X*, 2016, 2(1), 54–88, doi: 10.1080/23746149.2016.1254570.
6. RAMOS, Ana P., CRUZ, Marcos A. E., TOVANI, Camila B., CIANCAGLINI, Pietro. Biomedical applications of nanotechnology. *Biophysical Reviews*, 2017, 9(2), 79–89, doi: 10.1007/s12551-016-0246-2.
7. SADEGHI, Amin, PEZESHKI-MODARESS, Mohamad, ZANDI, Mojgan. Electrospun polyvinyl alcohol/gelatin/chondroitin sulfate nanofibrous scaffold: Fabrication and in vitro evaluation. *International Journal of Biological Macromolecules*, 2018, 114, 1248–1256, doi: 10.1016/j.ijbiomac.2018.04.002.
8. MALEKNIA, Laleh, DILAMIAN, Mandana, PILEHROOD, Mohammad Kazemi, SADEGHI-ALIABADI, Hojjat, HEKMATI, Amir Houshang. Preparation, process optimization and characterization of core-shell polyurethane/chitosan nanofibers as a potential platform for bioactive scaffolds. *Research in Pharmaceutical Sciences*, 2018, 13(3), 273–282, doi: 10.4103/1735-5362.228957.
9. BALOGH, Weiser D., NÉMETH, Csaba, ENDER, Ferenc, GYARMATI, Benjámín S., SZILÁGYI, András F., POPPE, László. Electrospun nanofibers for entrapment of biomolecules. In *Electrospinning method used to create functional nanocomposites films*. Rijeka : InTech, 2018, pp. 135–147.

10. GROSSERHODE, Christina, WEHLAGE, Daria, GROTHE, Timo, GRIMMELSMANN, Nils, FUCHS, Sandra, HARTMANN, Jessica, MAZUR, Patrycja, RESCHKE, Vanessa, SIEMENS, Helena, RATTENHOLL, Anke, HOMBURG, Sarah Vanessa, EHRMANN, Andrea. Investigation of microalgae growth on electrospun nanofiber mats. *AIMS Bioengineering*, 2017, **4**, 376–385, doi: 10.3934/bioeng.2017.3.376.
11. AL-ENIZI, Abdullah M., ZAGHO, Moustafa M., ELZATAHRY, Ahmed A. Polymer-based electrospun nanofibers for biomedical applications. *Nanomaterials*, 2018, **8**(4), 259, doi: 10.3390/nano8040259.
12. PREEM, Liis, KOGERMANN, Karin. Electrospun antimicrobial wound dressings: novel strategies to fight against wound infections. In *Recent Clinical Techniques, Results, and Research in Wounds*. Cham : Springer, 2018, pp. 1–41, doi: 10.1007/15695\_2018\_133.
13. SELVARAJ, Anantha S., RAJENDRAN, Mala. Antimicrobial nanomaterials for wound dressings. In *Nanomedicine and tissue engineering: State of the art and recent trends*. Edited by K. Nandakumar, A. Robin, S. Oluwatobi Oluwafemi, K. S. Joshy, T. Sabu. 1st edition. Boca Raton : CRC Press, Taylor & Francis Group, 2016, pp. 435–492.
14. VEGA-CÁZAREZ, Claudia A., SÁNCHEZ-MACHADO, Dalia I., LÓPEZ-CERVANTES, Jaime. Overview of electrospun chitosan nanofiber composites for wound dressings. In *Chitin-chitosan – Myriad Functionalities in Science and Technology*. Edited by Rajendra Dongre. Reka : IntechOpen, 2016, pp. 157–181, doi: 10.5772/intechopen.76037.
15. KHORSAND-GHAYENI, Mohammad, SADEGHI, Alireza, NOKHASTEHE, Samira, MOLAVI, A. Mahdi. Collagen modified PLGA nanofibers as wound-dressing. In *6th International Conference on Nanostructures (ICNS6) : proceedings*. 2016, **7–10**.
16. RAMÍREZ, Cedillo, E., ORTEGA, Lara W., RODRÍGUEZ, C. A., ROCHA, Refugio, M. D. Electrospinning PCL nanofibers with ceramic nanoparticles for wound dressing. In *XXXIII Congreso Anual de la Sociedad Española de Ingeniería Biomédica : proceedings*. Madrid, 2015, November **4–6**, pp. 362–365.
17. FELGUEIRAS, Helena, AMORIM, Maria T. P. Functionalization of electrospun polymeric wound dressings with antimicrobial peptides. *Colloids and Surfaces B: Biointerfaces*, 2015, **156**, 133–148, doi: 10.1016/j.colsurfb.2017.05.001.
18. ZAHEDI, Payam, REZAEIAN, Iraj, RANAELSIADAT, Seyed-Omid, JAFARI, Seyed-Hassan, SUPAPHOL, Pitt. A review on wound dressings with an emphasis on electrospun nanofibrous polymeric bandages. *Polymers Advance Technologies*, 2009, **21**(2), 77–95, doi: 10.1002/pat.1625.
19. GOH, Yi-Fan, SHAKIR, Imran, HUSSAIN, Raftaq. Electrospun fibers for tissue engineering, drug delivery, and wound dressing. *Journal of Materials Science*, 2013, **48**(8), 3027–3054, doi: 10.1007/s10853-013-7145-8.
20. MALA, Rajendran, RUBY, Celsia A. S. Influence of solution and process parameters on the fabrication of e-spun nano fiber for wound healing: A review. *Recent Patents on Nanomedicine*, 2014, **4**(2), 102–115, doi: 10.2174/1877912304666141009230331.
21. SUWANTONG, Orawan, PANKONGADISAK, Porntipa, DEACHATHAI, Suwanna, SUPAPHOL, Pitt. Electrospun poly(L-lactic acid) fiber mats containing crude Garcinia mangostana extracts for use as wound dressings. *Polymer Bulletin*, 2014, **71**(4), 925–949, doi: 10.1007/s00289-014-1102-9.
22. AUGUSTINE, Robin, KALARIKKAL, Nandakumar, THOMAS, Sabu. Electrospun PCL membranes incorporated with biosynthesized silver nanoparticles as antibacterial wound dressings. *Applied Nanoscience*, 2016, **6**(3), 337–344, doi: 10.1007/s13204-015-0439-1.
23. MIOTKE, Marta, STRANKOWSKA, Justyna, KWELA, J., STRANKOWSKI, Michal, PISZCZYK, Lukasz, JÓZEFOWICZ, Marek, and GAZDA, M. Nanosize effect of clay mineral nanoparticles on the drug diffusion processes in polyurethane nanocomposite hydrogels. *European Physical Journal Plus*, 2017, **132**, 401, doi: 10.1140/epjp/i2017-11708-1.
24. LI, Rui, CHENG, Zhiquiang, WEN, Ruicheng, ZHAO, Xiaodong, YU, Xiaobin, SUN, Lin, ZHANG, Yingying, HAN, Zhiyuan, YUAN, Yafeng, KANG, Lijuan. Novel SA@Ca<sup>2+</sup>/RCSPs core-shell structure nanofibers by electrospinning for wound dressings. *RSC Advances*, 2018, **8**, 15558–15566, doi: 10.1039/c8ra00784e.
25. MIGUEL, Sónia P., RIBEIRO, Maximiano P., COUTINHO, Paula, CORREIA, Ilídio J. Elec-

- trospun polycaprolactone/*Aloe Vera*\_chitosan nanofibrous asymmetric membranes aimed for wound healing applications. *Polymers*, 2017, **9**(5), 183, doi: 10.3390/polym9050183.
26. CHENG, Huiling, YANG, Xiaoye, CHE, Xin, YANG, Mingshi, ZHAI, Guangxi. Biomedical application and controlled drug release of electrospun fibrous materials. *Materials Science and Engineering C*, 2018, **90**, 7502–763, doi: 10.1016/j.msec.2018.05.007.
  27. DIAS, Juliana R., DOS SANTOS, Cyril, HORTA, Joao, GRANJA, Pedro Lopes, BARTOLO, Paulo Jorge. A new design of an electrospinning apparatus for tissue engineering applications. *International Journal of Bioprinting*, 2017, **3**(2), 1–9, doi: 10.18063/IJB.2017.02.002.
  28. KOMUR, Baran, BAYRAK, Fatih, EKREN, Nazmin, EROGLU, Mehmet S, OKTAR, Faik N., SINIRLIOGLU, Zeynep A., YUCEL, Sevil, GULER, Onder, GUNDUZ, Oguhzan. Starch/PCL composite nanofibers by coaxial electrospinning technique for biomedical applications. *BioMedical Engineering OnLine*, 2017, **16**, 40, doi: 10.1186/s12938-017-0334-y.
  29. GRANDCOLAS, Mathieu, SUNDE, Tor Olav, PILZ, Monika, SIMON, Christian, SCHMID, Ruth, JOHNSEN, Heidi. Needleless electrospun nanofibers containing microcapsules: a methodology for self-supported microcontainers. *International Journal of Engineering Research and Application*, 2017, **7**(6), 100–104, doi: 10.9790/9622-070601100104.
  30. AGARWAL, Seema, GREINER, Andreas, BURGARD, Matthias, WENDROFF, Joachim H. *Electrospinning*. Berlin : De Gruyter, 2016, **3**(11), 033180-6.
  31. RAMAKRISNA, Seeram, FUJIHARA, Kazutoshi, TEO, Wee-Eong, LIM, Teik-Cheng, MA, Zuwei. *Introduction to Electrospinning and Nanofibers*. World Scientific, 2005, **981**(256), pp. 415–2.
  32. MAHLTIG, Boris, TEXTOR, T. *Nanosols and Textiles*. World Scientific, 2008, **13**, doi: 10.1142/6961.
  33. TOSKA, Georgios, CHERIF, Chokri, HUND, Ralf, LAOURINE, Ezzeddine, MAHLTIG, Boris, FAHMI, Amir. Inorganic/organic (SiO<sub>2</sub>)/PEO hybrid electrospun nanofibers produced from a modified sol and their surface modification possibilities. *ACS Applied Materials & Interfaces*, 2011, **3**(9), 3673–81, doi: 10.1021/am200858s.
  34. WU, N., JU, Su, WANG, Yinge, CHEN, Ding. Fabrication of Ni@SiC composite nanofibers by electrospinning and autocatalytic electroless plating techniques. *Results in Physics*, 2019, **12**, 853–858, doi: 10.1016/j.rinp.2018.12.051.
  35. KUO, Ting-Yun, LIN, Che-Min, HUNG, Shih-Chieh, HSIEN, Tzu-Yang, WANG, MING, Da, HSEIN, Hsyue-Jen. Incorporation and selective removal of space-forming nanofibers to enhance the permeability of cytocompatibility nanofiber membranes for better cell growth. *Journal of the Taiwan Institute of Chemical Engineering*, 2018, **91**, 146–154, doi: 10.1016/j.jtice.2018.06.011.
  36. YANG, L., HOU, L. R., ZHANG, Y. W., YUAN, Changzhou. Facile synthesis of mesoporous carbon nanofibres towards high-performance electrochemical capacitors. *Materials Letters*, 2013, **97**, 97–99, doi: 10.1016/j.matlet.2012.12.018.
  37. ZHANG, Shichao, RIND, Nadir Ali, TANG, Ning, LIU, Hui, YIU, Xia, YU, Jianyong, DING, Bin. Electrospun nanofibers for air filtration. In *Micro and nano technologies, electrospinning, nanofabrication and applications*. William Andrew Publishing, 2019, pp. 365–389, doi: 10.1016/B978-0-323-51270-1.00012-1.
  38. ZABAR, Nabeel, AL-HAZEEM, Abed. Nanofibers and electrospinning method. *Novel Nanomaterials - Synthesis and Applications*, 2016, **11**, 193–208, doi: 10.5772/intechopen.72060.
  39. KUREČIČ, Manja, SMOLE, Majda Sfiligoj. Electrospinning: Nanofibre production method. *Tekstilec*, 2013, **56**, 4–12, doi: 10.14502/Tekstilec2013.56.4-12.
  40. NIU, Haitao, LIN, Tong. Fiber generators in needleless electrospinning. *Journal of Nanomaterials*, 2012, **2012**, doi: 10.1155/2012/725950.
  41. VYSLUZILOVA, Lucie, BUZGO, Matej, POKORNY, Pavel, CHVOJKA, Jiří MIKOVA, Andrea, RAMPICHOVA, Michala, KULA, Jiří, PEJCHAR, Karel, BILEK, Martin, LUKAS, David, AMLER, Evžen. Needleless coaxial electrospinning: A novel approach to mass production of coaxial nanofibers. *International Journal of Pharmaceutics*, 2017, **516**(1–2), 293–300, doi: 10.1016/j.ijpharm.2016.11.034.
  42. KOSTAKOVA, Eva, MESZAROS, Laszlo, GREGG, Jan. Composite nanofibers produced by

- modified needleless electrospinning. *Materials Letters*, 2009, **63**(28), 2419–2422, doi: 10.1016/j.matlet.2009.08.014.
43. DÍAZ, Angélica, DEL, Valle L. J., RODRIGO, Noel, CASAS, Maria T., CHUMBURIDZE, Georg, KATSARAVA, Ramaz, PUIGGALÍ, Jordi. Antimicrobial activity of poly(ester urea) electrospun fibers loaded with bacteriophages. *Fibers*, 2018, **6**(2), 33, doi: 10.3390/fib6020033.
  44. GROTHE, Timo, BRIKMANN, Johannes, MEISSNER, Hubert, EHRMANN, Andrea. Influence of solution and spinning parameters on nanofiber mat creation of poly(ethylene oxide) by needleless electrospinning. *Materials Science (Medžiagotyra)*, 2017, **23**(4), 342–349, doi: 10.5755/j01.ms.23.4.17169.
  45. VAJDAI, Attila, NAGY, Zsombor K., DREDÁN, Judit, SZABÓ, Barnabás, ZELKÓ, Romána, MAROSI, György, UJHELYI, Gabriella. Correlation between the physical characteristics of aqueous PVA solutions and the average diameter of electrospun nanofibers. *Latin American Journal of Pharmacy*, 2012, **31**(10), 1513–1517.
  46. SABANTINA, Lilia, MIRASOL, José R., CORDERO, Tomás, FINSTERBUSCH, Karin, EHRMANN, Andrea. Investigation of needleless electrospun PAN nanofiber mats. In *AIP Conference : proceedings*. **1952**(1), 020085, doi: 10.1063/1.5032047.
  47. PAN, Jian-feng, LIN, Ning-hua, SUN, Hui, XU, Feng. Preparation and characterization of electrospun PLCL/poloxamer nanofibers and dextran/gelatin hydrogels for skin tissue engineering. *Plos One*, 2014, **9**(11), 112885, doi: 10.1371/journal.pone.0112885.
  48. BÖTTJER, Robin, GROTHE, Timo, WEHLAGE, Daria, EHRMANN, Andrea. Electrospinning poloxamer/(bio-)polymer blends using a needleless electrospinning machine. *Journal of Textiles and Fibrous Materials*, 2018, **1**, 1–7, doi: 10.1177/2515221117743079.
  49. ZHANG, Lifeng, ABOAGYE, Alex, KELKAR, Ajit, LAI, Chuilin, FONG, Hao. A review: Carbon nanofibers from electrospun polyacrylonitrile and their applications. *Journal of Materials Science*, 2014, **49**(2), 463–480, doi: 10.1007/s10853-013-7705-y.
  50. RAJZER, Izabella, KWIATKOWSKI, Ryszard, PIEKARCZK, Wojciech, BINIAS, Włodzimirz, JANICKI, Jarosław. Carbon nanofibers produced from modified electrospun PAN/hydroxyapatite precursors as scaffolds for bone tissue engineering. *Materials Science and Engineering: C*, 2012, **32**(8), 2562–2569, doi: 10.1016/j.msec.2012.07.041.
  51. AGBOOLA, Oluranti S., SADIKU, Emmanuel R. Theoretical modeling of nanostructured formation in polymer blends. In *Nanostructured polymer blends*. Edited by Sabu Thomas, Robert Shanks and Sarathchandran Chandrasekharakuruo. Oxford : Elsevier, 2014, pp. 33–99.
  52. WEHLAGE, Daria, BÖTTJER, Robin, GROTHE, Timo, EHRMANN, Andrea. Electrospinning water-soluble/insoluble polymer blends. *AIMS Materials Science*, 2018, **5**(2), 190–200, doi: 10.3934/matricsci.2018.2.190.
  53. SABANTINA, Lilia, WEHLAGE, Daria, KLÖCKER, Michaela, MAMUN, Al, GROTHE, Timo, GARCIA-MTEOS, Francisco J., RODRIGUES-MIRASOL, José CORDERO, Tomás, FINSTERBUSCH, Karin, EHRMANN, Andrea. Stabilization of electrospun PAN/gelatin nanofiber mats for carbonization. *Journal of nanomaterials*, 2018, Article ID 6131085, doi: 10.1155/2018/6131085.
  54. SEMNANI, Kouros, SHAMS-GHAHFAROKHI, Masoom, AFRASHI, Mehran, FAKHRALI, Aref, SEMNANI, Dariush. Antifungal activity of eugenol loaded electrospun PAN nanofiber mats against *Candida albicans*. *Current Drug Delivery*, 2018, **15**(6), 860–866, doi: 10.2174/1567201815666180226120436.
  55. FAYEMI, Omolola E., EKENNIA, Anthony C., KATATA-SERU, Lebokang, EBOKAIWE, Azubuike P., IJOMONE, Omamuyovwi M., ONWUDIWE, Damia C., EBENSO, Eno E. Antimicrobial and wound healing properties of polyacrylonitrile-moringa extract nanofibers. *ACS Omega*, 2018, **3**(5), 4791–4797, doi: 10.1021/acsomega.7b01981.
  56. GITO, G., ROCHMAWATI, E. Effectiveness of modern wound dressing on the growth of staphylococcus aureus bacteria. *Jurnal Keperawatan*, 2018, **9**(2), 88–99, doi: 10.22219/jk.v9i2.5160.
  57. GIERSZEWSKA, Magdalena, OSTROWSKA-CZUBENKO, Jadwiga, CHRZANOWSKA, Ewelina. Characteristics of ascorbic acid release from TPP-crosslinked chitosan/alginate polyelectrolyte complex membranes. *Progress on*



- Chemistry and Application of Chitin and its Derivatives*, 2018, 7, 76–87, doi: 10.15259/PCACD.23.007.
58. PÉREZ PUYANA V., JIMÉNEZ ROSADO M., ROMERO, A., GUERRERO, Antonio. Development of PVA/gelatin nanofibrous scaffolds for tissue engineering via electrospinning. *Materials Research Express*, 2018, 5, 035401, doi: 10.1088/2053-1591/aab164.
  59. ZHOU, Yingshan, LIANG, Kaili, ZHANG, Can, LI, Jun, YANG, Hongjun, LIU, Xin, YIN, Xianze, CHEN, Dongzhi, XU, Weilin, XIAO, Pu. Photocrosslinked methacrylated chitosan-based nanofibrous scaffolds as potential skin substitute. *Cellulose*, 2017, 24(10), 4253–4262, doi: 10.1007/s10570-017-1433-4.
  60. MOUTSATSOU, Panagiota, COOPMAN, Karen, GEORGIADOU, Stella. Biocompatibility assessment of conducting PANI/chitosan nanofibers for wound healing applications. *Polymers*, 2017, 9(12), 687, doi: 10.3390/polym9120687.
  61. CHARERNSRIWILAIWAT, Natthan, OPANASOPIT, Praneet, ROJANARATA, Theerasak, NGAWHIRUNPAT, Tanasait. Fabrication and characterization of chitosan-ethylenediamine-tetraacetic acid/polyvinyl alcohol blend electrospun nanofibers. *Advanced Materials Research*, 2011, 194–196, 648–651, doi: 10.4028/www.scientific.net/AMR.194-196.648.
  62. JEONG, Sung In, KREBS, Melissa, BONINO, Christopher, KHAN, Saad Arman, ALSBERG, Eben. Electrospun alginate nanofibers with controlled cell adhesion for tissue engineering. *Micromolecular Bioscience*, 2010, 10(8), 934–943, doi: 10.1002/mabi.201000046.
  63. TOSKA, Georgios, CHERIF, Chokri, HUND, Ralf, LAOURINE, Ezzeddine, MAHLTIG, Boris, FAHMI, Amir, HEINEMANN, Christiane, HANKE, Thomas. Chitosan(PEO)/silica hybrid nanofibers as a potential biomaterial for bone regeneration. *Carbohydrate polymers*, 2013, 94(2), 713–722, doi: 10.1016/j.carbpol.2013.01.068.
  64. DUBEY, Poornima, PACKIRISAMY Gopinath. PEGylated graphene oxide-based nanocomposite grafted chitosan/polyvinyl alcohol nanofiber as an advanced antibacterial wound dressing. *RSC Advances*, 2016, 6, 69103–69116, doi: 10.1039/C6RA12192F.
  65. ZHAO, Xinzhe, GAO, Jing, HU, Xingyou, GUO, Huiwen, WANG, Fujun, QIAO, Yansha, WANG, Lu. Collagen/polyethylene oxide nanofibrous membranes with improved hemostasis and cytocompatibility for wound dressing. *Applied Sciences*, 2018, 8(8), 1226, doi: 10.3390/app8081226.
  66. SANCHEZ-ALVARADO, Diana I., GUZMÁN-PANTOJA, Javier, PRAMO-GARCIA, Ulises, MACIEL-CERDA, Alfredo, MARTÍNEZ-OROZCO, Reinaldo D., VERA-GRAZIANO, Ricardo. Morphological study of chitosan/poly (vinyl alcohol) nanofibers prepared by electrospinning, collected on reticulated vitreous carbon. *International Journal of Molecular Sciences*, 2018, 19(6), e1718, doi: 10.3390/ijms19061718.
  67. GIANINO, Elizabeth, MILLER, Craig, GILMORE, Jordon. Smart wound dressings for diabetic chronic wounds. *Bioengineering*, 2018, 5(3), 51, doi: 10.20944/preprints201805.0396.v1.
  68. AYTIMUR, Arda, USLU, Ibrahim. Promising materials for wound dressing: PVA/PAA/PVP electrospun nanofibers. *Polymer-Plastics Technology and Engineering*, 2014, 53(7), 655–660, doi: 10.1080/03602559.2013.874031.
  69. GONG, Ying, HAN, Guangting, ZHANG, Yuanming, PAN, Yong, LI, Xianbo, XIA, Yanzhi, WU, Yan. Antifungal activity and cytotoxicity of zinc, calcium, or copper alginate fibers. *Biological Trace Element Research*, 2012, 148(3), 415–419, doi: 10.1007/s12011-012-9388-7.
  70. KURECIC, Manja, RIJAVEC, Tomaž, HRIBERNIK, Silvo, LAPANJE, Aleš, KLEINSCHKE STANA, Karin, MAVER, Uroš. Novel electrospun fibers with incorporated commensal bacteria for potential preventive treatment of the diabetic foot. *Nanomedicine*, 2018, 13(13), 1583–1594, doi: 10.2217/nnm-2018-0014.
  71. LIN, Jia-Horng, LU, Chao-Tsang, HU, Jin-Jin, CHEN, Yueh-Sheng, HUANG, Chen-Huang, and LOU, Ching-Wen. Property evaluation of *Bletilla striata*/polyvinyl alcohol nano fibers and composite dressings. *Journal of Nanomaterials*, 2012, 12, Article ID 519516, doi: 10.1155/2012/519516.
  72. CAI, Zeng-xiao, MO, Xiu-mei, ZHANG, Kuihua, FAN, Lin-peng, YIN, An-lin, HE, Chuanglong, WANG, Hong-sheng. Fabrication of chitosan/silk fibroin composite nanofibers for wound dressing applications. *International Journal of Molecular Sciences*, 2010, 11(9), 3529–3539, doi: 10.3390/ijms11093529.
  73. JAITURONG, Patthanakorn, SIRITHUNYALUG, Busaban, EITSAYEAM, Sukum, ASA-

- WAHAME, Chawalinee, TIPDUANGTA, Pratchaya, SIRITHUNYALUG, Jakkapan. Preparation of glutinous rice starch/polyvinyl alcohol copolymer electrospun fibers for using as a drug delivery carrier. *Asian Journal of Pharmaceutical Sciences*, 2018, **13**(3), 239–247, doi: 10.1016/j.ajps.2017.08.008.
74. ARUAN, Neni Mona, SRIYANTI, Ida, EDIKRESNHA, Dhewa, SUCIATI, Tri, MUNIR, Muhammad Miftahul, KHAIRURRIJAL. Polyvinyl alcohol/soursop leaves extract composite nanofibers synthesized using electrospinning technique and their potential as antibacterial wound dressing. *Procedia Engineering*, 2017, **170**, 31–35, doi: 10.1016/j.proeng.2017.03.006.
  75. SUBTIRICA, Adriana-Ioana, BANCIU, Cristina A., CHIVU, Andreea Ana-Maria, DINCA, Laurentiu-Christian. Nanofibres made from biocompatible and biodegradable polymers, with potential application as medical textiles. *Industria textila*, 2018, **69**(1), 55–58.
  76. LIANG, Luna, HUANG, Chen, RAGAUSKAS, Arthur J. Nanocellulose-based materials for biomedical applications. *JSM Chemistry*, 2017, **5**(3), 1048.
  77. TARUS, Bethwel, FADEL, Nermin, AL-OUFY, Aaffaf, EL-MESSIRY, Magdi. Effect of polymer concentration on the morphology and mechanical characteristics of electrospun cellulose acetate and poly(vinyl chloride) nanofiber mats. *Alexandria Engineering Journal*, 2016, **55**(3), 2975–2984, doi: 10.1016/j.aej.2016.04.025.
  78. TRACHE, Djalal. Nanocellulose as a promising sustainable material for biomedical applications. *AIMS Materials Science*, 2018, **5**(2), 201–205, doi: 10.3934/mat.2018.2.201.
  79. MOREIRA, Susana, BEYERRA, Naisandra, JAILMA, Silva, LIMA, Almeida, ALEXANDRE, Hugo, ROCHA, Oliveira, REGINA, Silva, ALVESJR, Clodomiro, GAMA, Francisco M. BC nanofibres: *In vitro* study of genotoxicity and cell proliferation. *Toxicology Letters*, 2019, **189**(3), 235–241, doi: 10.1016/j.toxlet.2009.06.849.
  80. SULAEVA, Irina, HENNIGES, Ute, ROSENAU, Thomas, POTTAS, Antjie. Bacterial cellulose as a material for wound treatment: Properties and modifications. *Biotechnology Advantages*, 2015, **33**(8), 1547–1571, doi: 10.1016/j.biotechadv.2015.07.009.
  81. SURATAGO, Theerawat, TAOKAEW, Siriporn, KANJANAMOSIT, Nitisak, KANJANAPRAPAKUL, Kijchai, BURAPATANA, Vorakan, PHISALAPHONG, Muenduen. Development of bacterial cellulose/alginate nanocomposite membrane for separation of ethanol-water mixtures. *Journal of Industrial and Engineering Chemistry*, 2015, **32**, 305–312, doi: 10.1016/j.jiec.2015.09.004.
  82. LIYASKINA, Elena V., REVIN, Victor, PARAMONOVA, E. N., REVINA, N. V., KOLESNIKOVA, S. G. Bacterial cellulose/alginate nanocomposite for antimicrobial wound dressing. In *The 2nd International Symposium on Physics, Engineering and Technologies for Biomedicine : proceedings*. 2018, **2018**, 202–211, doi: 10.18502/ken.v3i2.1814.
  83. HABIBI, Sima, HAJINASROLLAH, Kiana. Electrospinning of nanofibers based on chitosan/gelatin blend for antibacterial uses. *Russian Journal of Applied Chemistry*, 2018, **91**(5), 877–881, doi: 10.1134/S1070427218050191.
  84. LIYASKINA, Elena V., REVIN, Victor, PARAMONOVA, E., NAZARKINA, Maria, PESTOV, N., REVINA, N., KOLESNIKOVA, S. Nanomaterials from bacterial cellulose for antimicrobial wound dressing. *Journal of Physics Conference Series*, 2017, **784**(1), 012034, doi: 10.1088/1742-6596/784/1/012034.
  85. GHARAIE, Sadaf Samimi., HABIBI, Sima, NAZOCKDAST, Hosein. Fabrication and characterization of chitosan/gelatin/thermoplastic polyurethane blend nanofibers. *Journal of Textiles and Fibrous Materials*, 2018, **1**, 1–8, doi: 10.1177/2515221118769324.
  86. PEZESHKIMODARESS, Mohamad, ZANDI, Mojgan, RAJABI, Sarah. Tailoring the gelatin/chitosan electrospun scaffold for application in skin tissue engineering: an *in vitro* study. *Progress in Biomaterials*, 2018, **7**(3), 207–218, doi: 10.1007/s40204-018-0094-1.
  87. MOHANDAS, Annapoorna, DEEPHI, S., BISWAS, Raja, JAYAKUMAR, R. Chitosan based metallic nanocomposite scaffolds as antimicrobial wound dressings. *Bioactive Materials*, 2018, **3**(3), 267–277, doi: 10.1016/j.bioactmat.2017.11.003.
  88. UTTAYARAT, Pimpon, JETAWATTANA, Suwimol, SUWANMALA, Phiriyatorn, EAMSIRI, Jarurattana, TANGTHONG, Theeranant, PONGPAT, Suchada. Antimicrobial electrospun silk

- fibroin mats with silver nanoparticles for wound dressing application. *Fibers and Polymers*, 2012, **13**(8), 999–1006, doi: 10.1007/s12221-012-0999-6.
89. PÉREZDÍAZ, Mario A., SILVABERMUDEZ, Phaedra, JIMÉNEZLÓPEZ, Binisa, MARTÍNEZLÓPEZ, Valentín, MELGAREJORAMÍREZ, Yaaziel, BRENAMOLINA, Ana, IBARRA, Clemente, BAEZA, Isabel, MARTÍNEZPARDO, Maria E., REYESFRÍAS, Ma de Lourdes, MÁRQUEZGUTIÉRREZ, Erik, VELASQUILLO, Cristina, MARTÍNEZCASTAÑÓN, Gabriel A., MARTINEZGUTIERREZ, Fidel, SÁNCHEZSÁNCHEZ, Roberto. Silver-pig skin nanocomposites and mesenchymal stem cells: suitable antibiofilm cellular dressings for wound healing. *Journal of Nanobiotechnology*, 2018, **16**(1), 2, doi: 10.1186/s12951-017-0331-0.
  90. ZHANG, Huijie, PENG, Mengxia, CHENG, Ting, ZHAO, Peng, QUI, Lipeng, ZHOU, Juan, LU, Guozhong, CHEN, Jinghua. Silver nanoparticles-doped collagen–alginate antimicrobial biocomposite as potential wound dressing. *Journal of Materials Science*, 2018, **53**(21), 14944–14952, doi: 10.1007/s10853-018-2710-9.
  91. WU, Tianyi, LU, Fei, WEN, Qiuhan, YU, Kun, LU, Bitao, RONG, Bao, DAI, Fangyin, LAN, Guangqian. Novel strategy for obtaining uniformly dispersed silver nanoparticles on soluble cotton wound dressing through carboxymethylation and in-situ reduction: antimicrobial activity and histological assessment in animal model. *Cellulose*, 2018, **25**(9), 5361–5376, doi: 10.1007/s10570-018-1907-z.
  92. KHAMPIENG, Thitikan, WONGKITTITHAVORN, Supisara, CHAIARWUT, Sonthaya, EKABUTR, Pongpol, PAVASANT, Prasit, SUPAPHOL, Pitt. Silver nanoparticles-based hydrogel: Characterization of material parameters for pressure ulcer dressing applications. *Journal of Drug Delivery Science and Technology*, 2017, **44**, 91–100, doi: 10.1016/j.jddst.2017.12.005.
  93. LI, Qing, LU, Fei, ZHOU, Goufang, YU, Kun, LU, Bitao, XIAO, Yang, DAI, Fangying, WU, Dayang, and LAN, Guangqian. Silver inlaid with gold nanoparticle/chitosan wound dressing enhances antibacterial activity and porosity, and promotes wound healing. *Biomacromolecules*, 2017, **18**(11), 3766–3775, doi: 10.1021/acs.biomac.7b01180.
  94. YU, Kun, LU, Fei, LI, Qing, CHEN, Honglei, LU, Bitao, LIU, Jiawei, LI, Zhiquan, DAI, Fangying, WU, Dayang & LAN, Guangqian. In situ assembly of Ag nanoparticles (AgNPs) on porous silk-worm cocoon-based wound film: enhanced antimicrobial and wound healing activity. *Scientific Reports*, 2017, **7**, 2107, doi: 10.1038/s41598-017-02270-6.
  95. GÓMEZ CHABALA, Luisa F., ECHEVERRI CUARTAS, Claudia E., LONDONO LÓPEZ, Martha E. Release behavior and antibacterial activity of chitosan/alginate blends with *Aloe vera* and silver nanoparticles. *Marine Drugs*, 2017, **15**(11), 328, doi: 10.3390/md15100328.
  96. KONOP, Marek, DAMPS, Tatsiana, MISICKA, Aleksandra, RUDNICK, Lidia. Certain aspects of silver and silver nanoparticles in wound care. *Journal of Nanomaterials*, 2016, **2016**, Article ID 7614753, doi: 10.1155/2016/7614753.
  97. TRA, Thanh Nhi, HO, Hieu Minh, TRAN, Minh Phuong N., DO, Bui Thuan Thien, NGUYEN, Thi Thoai Hoai, THAI, Van Phuoc, DO, Min Thai, NGUYEN, Dai Hai, VO, Van Toi, NGUYEN, Thi Hiep. Optimization and characterization of electrospun polycaprolactone coated with gelatin-silver nanoparticles for wound healing application. *Materials Science and Engineering C*, 2018, **91**, 318–329, doi: 10.1016/j.msec.2018.05.039.
  98. CHEN, Jyh-Ping and CHIANG, Yun. Bioactive electrospun silver nanoparticles-containing polyurethane nanofibers as wound dressings. *Journal of Nanoscience and Nanotechnology*, 2010, **10**(11), 7560–7564, doi: 10.1166/jnn.2010.2829.
  99. WANG, Yanfang, LI, Pengfei, XIANG, Ping, LU, Jueting, YUAN, Jiang, SHEN, Jian. Electrospun polyurethane/keratin/AgNP biocomposite mats for biocompatible and antibacterial wound dressings. *Journal of Materials Chemistry B*, 2016, **4**, 635–648, doi: 10.1039/C5TB02358K.
  100. XU, Z., MAHALINGAM, Suntharavathanan, ROHN, Jennifer L., REN, Guogang, EDIRISINGHE, Mohan. Physio-chemical and antibacterial characteristics of pressure spun nylon nanofibres embedded with functional silver nanoparticles. *Materials Science and Engineering C*, 2015, **56**, 195–204, doi: 10.1016/j.msec.2015.06.003.

101. UNNITHAN, Afeesh Rajan, GNANASEKARAN, Gopalsamy, SATHISHKUMAR, Yesupatham, LEE, Yang Soo, KIM, Cheol Sang. Electrospun antibacterial polyurethane–cellulose acetate–zein composite mats for wound dressing. *Carbohydrate Polymers*, 2014, **102**, 884–892, doi: 10.1016/j.carbpol.2013.10.070.
102. HAN, Chao, CAI, Ning, CHAN, Vincent, LIU, Mingming, FENG, Xiaojuan, YU, Faquan. Enhanced drug delivery, mechanical properties and antimicrobial activities in poly(lactic acid) nanofiber with mesoporous Fe<sub>3</sub>O<sub>4</sub>-COOH nanoparticles. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 2018, **559**, 104–114, doi: 10.1016/j.colsurfa.2018.09.012.
103. YU, Hou-Yong, WANG, Chuang, ABDALKARIM, Somia Y. H. Cellulose nanocrystals/polyethylene glycol as bifunctional reinforcing/compatibilizing agents in poly(lactic acid) nanofibers for controlling long-term in vitro drug release. *Cellulose*, 2017, **24**(10), 4461–4477, doi: 10.1007/s10570-017-1431-6.
104. CHOI, Jung Il, KIM, Min Sik, CHUN, Goo Yong, SHIN, Hwa Sung. *Spirulina* extract-impregnated alginate-PCL nanofiber wound dressing for skin regeneration. *Biotechnology and Bioprocess Engineering*, 2017, **22**(6), 679–685, doi: 10.1007/s12257-017-0329-3.
105. KIM, Min Sik, KIM, Hye Jim, JANG, Jin Yuong, SHIN, Hwa Sung. Development of co-axial alginate-PCL nanofibrous dressing for controlled release of *Spirulina* extract. *Journal of Biomaterials Science, Polymer Edition*, 2018, **29**(12), 1389–1400, doi: 10.1080/09205063.2018.1462931.
106. RATHER, Hilal Ahmad, THAKORE, Ria, SINGH, Ragini, JHALA, Dhvani, SINGH, Sanjay, VASITA, Rajesh. Antioxidative study of cerium oxide nanoparticle functionalized PCL-gelatin electrospun fibers for wound healing application. *Bioactive Materials*, 2017, **3**(2), 201–211, doi: 10.1016/j.bioactmat.2017.09.006.
107. TORT, Serdar, ACARTÜRK, Füsün, BESIKCI, Arzu. Evaluation of three-layered doxycycline-collagen loaded nanofiber wound dressing. *International Journal of Pharmaceutics*, 2017, **529**(1–2), 642–653, doi: 10.1016/j.ijpharm.2017.07.027.
108. DA SILVA, Cinara V., PEREIRA, Veronica de J., COSTA, G. M. N., CABRAL-ALBUQUERQUEA, Elaina. C. M., DE MELO, Vieira S., DE SOUSA, Herminio C., DIAS, Ana M. A., BRAGA, Mara E. M. Supercritical solvent impregnation/deposition of spilanthol-enriched extracts into a commercial collagen/cellulose-based wound dressing. *The Journal of Supercritical Fluids*, 2018, **133**(1), 503–511, doi: 10.1016/j.supflu.2017.11.028.
109. GARG, Sweta, GARG, Ashish, SHUKLA, Ajay, DEV, Suresh Kumar, KUMAR, Manish. A review on nano-therapeutic drug delivery carriers for effective wound treatment strategies. *Asian Journal of Pharmacy and Pharmacology*, 2018, **4**(2), 90–101, doi: 10.31024/ajpp.2018.4.2.1.
110. DIAS, Juliana R., SILVA-BAPTISTA, Sara, OLIVEIRA, Carla, SOUSA, Aureliana, OLIVEIRA, A. L., BÁRTOLO, Paulo, GRANJA, Pedro L. *In situ* crosslinked electrospun gelatin nanofibers for skin regeneration. *European Polymer Journal*, 2017, **95**, 161–173, doi: 10.1016/j.eurpolymj.2017.08.015.
111. ZHAO, Xinzhe, GAO, Jing, HU, Xingyou, GUO, Huiwen, WANG, Fujun, QIAO, Yansha, WANG, Lu. Collagen/polyethylene oxide nanofibrous membranes with improved hemostasis and cytocompatibility for wound dressing. *Applied science*, 2018, **8**(8), 1226, doi: 10.3390/app8081226.
112. UZUN, M. Developments in nonwovens for wound dressings. In *Advances in technical nonwovens*. Edited by George Kellie. Woodhead Publishing, 2016, pp. 443–472, doi: 10.1016/B978-0-08-100575-0.00017-6.